



GERADES VERSCHLUSSGLIED UND GEKRÖPFTES VERSCHLUSSGLIED FÜR ROLLENKETTEN „BEA“



1



2



3



4



EUROPÄISCHER STANDARD


ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.	Gekröpftes Verschlussglied Typ	Artikel-Nr.
03-1	5	1	610105026	3	610105059
04-1	6	1	610106026	3	610106059
05B-1	8	1	610108026	3	610108059
05B-2	8	1	610108226	3	610108259
06B-1	9,525	4	610109026	3	610109059
06B-2	9,525	4	610109226	3	610109259
06B-3	9,525	4	610109326	3	610109359
08B-1	12,7	1	610112026	3	610112059
08B-2	12,7	1	610112226	3	610112259
08B-3	12,7	1	610112326	3	610112359
10B-1	15,875	1	610115026	3	610115059
10B-2	15,875	1	610115226	3	610115259
10B-3	15,875	1	610115326	3	610115359
12B-1	19,05	1	610119026	3	610119059
12B-2	19,05	1	610119226	3	610119259
12B-3	19,05	1	610119326	3	610119359
16B-1	25,4	1	610125026	3	610125059
16B-2	25,4	1	610125226	3	610125259
16B-3	25,4	1	610125326	3	610125359
20B-1	31,75	2	610131026	3	610131059
20B-2	31,75	2	610131226	3	610131259
20B-3	31,75	2	610131326	3	610131359
24B-1	38,1	2	610138026	3	610138059
24B-2	38,1	2	610138226	3	610138259
24B-3	38,1	2	610138326	3	610138359
28B-1	44,45	2	610144026	3	610144059
28B-2	44,45	2	610144226	3	610144259
28B-3	44,45	2	610144326	3	610144359
32B-1	50,8	2	610150026	3	610150059
32B-2	50,8	2	610150226	3	610150259
32B-3	50,8	2	610150326	3	610150359
40B-1	63,5	2	610163026	3	610163059
40B-2	63,5	2	610163226	3	610163259

AMERIKANISCHER STANDARD

ANSI	p mm	Gerades Verschlussglied Typ	Artikel-Nr.	Gekröpftes Verschlussglied Typ	Artikel-Nr.
35-1	9,525	1	630035026	3	630035059
35-2	9,525	1	630035226	3	630035259
35-3	9,525	1	630035326	3	630035359
40-1	12,7	1	630040026	3	630040059
40-2	12,7	1	630040226	3	630040259
40-3	12,7	1	630040326	3	630040359
50-1	15,875	1	630050026	3	630050059
50-2	15,875	1	630050226	3	630050259
50-3	15,875	1	630050326	3	630050359
60-1	19,05	1	630060026	3	630060059
60-2	19,05	1	630060226	3	630060259
60-3	19,05	1	630060326	3	630060359
80-1	25,4	1	630080026	3	630080059
80-2	25,4	1	630080226	3	630080259
80-3	25,4	1	630080326	3	630080359
100-1	31,75	2	630100026	3	630100059
100-2	31,75	2	630100226	3	630100259
100-3	31,75	2	630100326	3	630100359
120-1	38,15	2	630120026	3	630120059
120-2	38,15	2	630120226	3	630120259
120-3	38,15	2	630120326	3	630120359
140-1	44,45	2	630140026	3	630140059
140-2	44,45	2	630140226	3	630140259
140-3	44,45	2	630140326	3	630140359
160-1	50,8	2	630160026	3	630160059
160-2	50,8	2	630160226	3	630160259
160-3	50,8	2	630160326	3	630160359
60-1H	19,05	2	631060026	3	631060059
80-1H	25,4	2	631080026	3	631080059
100-1H	31,75	2	631100026	3	631100059



GERADES VERSCHLUSSGLIED UND GEKRÖPFTES VERSCHLUSSGLIED FÜR ROLLENKETTEN „BEA“



WINKELASCHEN – A1/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	A1	614109110
08B-1	12,7	A1	614112110
10B-1	15,875	A1	614115110
12B-1	19,05	A1	614119110
16B-1	25,4	A1	614125110

GERADE LASCHEN – M1/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	M1	613109110
08B-1	12,7	M1	613112110
10B-1	15,875	M1	613115110
12B-1	19,05	M1	613119110
16B-1	25,4	M1	613125110

WINKELASCHEN – K1/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	K1	614109210
08B-1	12,7	K1	614112210
10B-1	15,875	K1	614115210
12B-1	19,05	K1	614119210
16B-1	25,4	K1	614125210

GERADE LASCHEN – MK1/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	MK1	613109210
08B-1	12,7	MK1	613112210
10B-1	15,875	MK1	613115210
12B-1	19,05	MK1	613119210
16B-1	25,4	MK1	613125210

WINKELASCHEN – A1/01

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	A1	614109110
08B-1	12,7	A1	614112110
10B-1	15,875	A1	614115110
12B-1	19,05	A1	614119110
16B-1	25,4	A1	614125110

GERADE LASCHEN – M1/01

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	M1	613109110
08B-1	12,7	M1	613112110
10B-1	15,875	M1	613115110
12B-1	19,05	M1	613119110
16B-1	25,4	M1	613125110

WINKELASCHEN – K1/01

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	K1	614109210
08B-1	12,7	K1	614112210
10B-1	15,875	K1	614115210
12B-1	19,05	K1	614119210
16B-1	25,4	K1	614125210

GERADE LASCHEN – MK1/01

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	MK1	613109210
08B-1	12,7	MK1	613112210
10B-1	15,875	MK1	613115210
12B-1	19,05	MK1	613119210
16B-1	25,4	MK1	613125210

WINKELASCHEN – A2/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	A2	614109120
08B-1	12,7	A2	614112120
10B-1	15,875	A2	614115120
12B-1	19,05	A2	614119120
16B-1	25,4	A2	614125120

GERADE LASCHEN – M2/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	M2	613109120
08B-1	12,7	M2	613112120
10B-1	15,875	M2	613115120
12B-1	19,05	M2	613119120
16B-1	25,4	M2	613125120

WINKELASCHEN – K2/02


ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	K2	614109220
08B-1	12,7	K2	614112220
10B-1	15,875	K2	614115220
12B-1	19,05	K2	614119220
16B-1	25,4	K2	614125220

GERADE LASCHEN – MK2/02

ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	MK2	613109220
08B-1	12,7	MK2	613112220
10B-1	15,875	MK2	613115220
12B-1	19,05	MK2	613119220
16B-1	25,4	MK2	613125220



GERADES VERSCHLUSSGLIED UND GEKRÖPFTES VERSCHLUSSGLIED FÜR ROLLENKETTEN „BEA“



GERADE LASCHEN			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
08B-1	12,7	4	611112026
10B-1	15,875	4	611115026
10B-2	15,875	4	611115226
12B-1	19,05	4	611119026
12B-2	19,05	4	611119226
16B-1	25,4	4	611125026
16B-2	25,4	4	611125226
20B-1	31,75	5	611131026
20B-2	31,75	5	611131226

VERNICKELT					
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.	GeKröpftes Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	6	646109026	7	646109059
06B-2	9,525	6	646109226	7	646109259
08B-1	12,7	6	646112026	7	646112059
08B-2	12,7	6	646112226	7	646112259
10B-1	15,875	6	646115026	7	646115059
10B-2	15,875	6	646115226	7	646115259
12B-1	19,05	6	646119026	7	646119059
12B-2	19,05	6	646119226	7	646119259
16B-1	25,4	6	646125026	7	646125059
16B-2	25,4	6	646125226	7	646125259

HOHLBOLZEN TYP "A" – SINTERBUCHSE			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
08B-1	12,7	8	611512026
10B-1	15,875	8	611515026
12B-1	19,05	8	611519026

HOHLBOLZEN TYP "B" – ROLLEN			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
08B-1	12,7	9	611612026
10B-1	15,875	9	611615026
12B-1	19,05	9	611619026
16B-1	25,4	9	611625026

SELBSTSCHMIEREND MIT SINTERBUCHSEN			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
08B-1	12,7		
10B-1	15,875		
12B-1	19,05		

"O-RING"			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
08B-1	12,7	10	644112026
10B-1	15,875	10	644115026

VERLÄNGERTE NIETEN			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
06B-1	9,525	11	615109026
08B-1	12,7	11	615112026
10B-1	15,875	11	615115026
12B-1	19,05	11	615119026
16B-1	25,4	11	615125026

STAUFÖRDERKETTEN			
ISO	p mm	Gerades Verschlussglied Typ	Artikel-Nr.
12B-3	19,50	12	612119026



GERADES VERSCHLUSSGLIED UND GEKRÖPFTES VERSCHLUSSGLIED FÜR ROLLENKETTE ROSTFREI „BEA“



1



3



4



9



EUROPÄISCHER STANDARD

ISO	p mm	Gerades Verschlussglied		Gekröpftes Verschlussglied	
		Typ	Artikel-Nr.	Typ	Artikel-Nr.
06B-1	9,525	4	650109026	3	650109059
06B-2	9,525	4	650109226	3	650109259
06B-3	9,525	4	650109326	3	650109359
08B-1	12,7	1	650112026	3	650112059
08B-2	12,7	1	650112226	3	650112259
08B-3	12,7	1	650112326	3	650112359
10B-1	15,875	1	650115026	3	650115059
10B-2	15,875	1	650115226	3	650115259
10B-3	15,875	1	650115326	3	650115359
12B-1	19,05	1	650119026	3	650119059
12B-2	19,05	1	650119226	3	650119259
12B-3	19,05	1	650119326	3	650119359
16B-1	25,4	1	650125026	3	650125059
16B-2	25,4	1	650125226	3	650125259
16B-3	25,4	1	650125326	3	650125359

GERADE LASCHEN

ISO	p mm	Gerades Verschlussglied	
		Typ	Artikel-Nr.
08B-1	12,7	4	651112026
08B-2	12,7	4	651112226
12B-1	19,05	4	651119026

HOHLBOLZEN TYP "B" – ROLLEN

ISO	p mm	Gerades Verschlussglied	
		Typ	Artikel-Nr.
08B-1	12,7	9	651512026
10B-1	15,875	9	651515026
12B-1	19,05	9	651519026
16B-1	25,4	9	651525026